



LED Tube


www.sun-groupe.com

Sun-Groupe Sàrl, 2087 Cornaux, Suisse



Categories

- > T5
- > T8
- > LED tubes supports and brackets



made for Switzerland

SUN-GROUPE CO LTD

OUR COMPANY

Sun-Groupe Co Ltd is a trade and services company based in Neuchâtel, Switzerland and in Puyang city, Henan province in the People's Republic of China.

The name of our company is Sun (孙氏) - Groupe (集团), Sun is the name of the Chinese owners and Groupe (in french) for holding type activities.

It is registered in the Swiss Trade Register as a company limited with 20'000 CHF of capital and is also registered to the VAT administration.

IN CHINA SINCE 1992

With a long experience in China since 1992, Sun-Groupe Co. Ltd is mainly active in this sectors : international trade, import-export of goods with China and Eastern Asia and in services like digitisation.

It is also the first design office / engineer's office in building constructions of Puyang city (3'651'700 habitants) !

An outstanding collaboration is animating the Swiss and Chinese members of our company : from one side the swiss well know world's premium quality and the other side, the unlimited working capacity and production of China give Sun-Groupe the abilities to satisfy its customers like companies, administrations, associations and individuals !

FROM CHINA, THE LED LIGHTING

In 2007, the head office has established contacts with producers of LED Lighting factories. We are representatives of about 16 factories on Chinese mainland.

Sun-Groupe has only one objective : always bring the latest technologies with always the highest superior quality for its customers in Switzerland and worldwide.

Our crew is at your disposal to answer all your questions.



CERTIFICATIONS

Sun-Groupe is directly linked to the factories, it is obvious that all our products have original certificates and checkable.

Switzerland recognize the European Certifications according to the laws.

And Our LED Tubes are certified by the ESTI (Swiss Electricity Inspectorate)




COPY RIGHT

All partial or complete reproduction of our catalog (photo, texts, etc...) is forbidden with express written authorization.

We won't accept any violation.

LED Tube T5 28cm SMD 51LED 4W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T528-4W-01
Power	4W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.85
LED Quantity	51
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 6000K
Lumen	302 at 3000K, 307 at 4000K, 312 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	28.8x1.6cm
Weight	0.264kg
Dimmable	no
Certificates	CE
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR

Diagram



Illumination



LED Tube T5 55cm SMD 112LED 7W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T555-7W-01
Power	7W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.85
LED Quantity	112
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 6000K
Lumen	710 at 3000K, 720 at 4000K, 730 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	54.9x1.6cm
Weight	0.264kg
Dimmable	no
Certificates	CE
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR


Diagram



Illumination



LED Tube T5 85cm SMD 168LED 11W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T585-11W-01
Power	11W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.85
LED Quantity	168
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 6000K
Lumen	1070 at 3000K, 1085 at 4000K, 1100 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	84.9x1.6cm
Weight	0.264kg
Dimmable	no
Certificates	CE
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR


Diagram



Illumination



LED Tube T5 120cm SMD 216LED 14W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T5120-14W-01
Power	14W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.85
LED Quantity	216
Brand, Type	EPISTAR, 3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 6000K
Lumen	1370 at 3000K, 1380 at 4000K, 1400 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	114.9x1.6cm
Weight	0.264kg
Dimmable	no
Certificates	CE
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR



Diagram



Illumination



LED Tube T8 43cm SMD 108LED 7W



Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T843-7W-01
Power	7W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.90
LED Quantity	108
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 5000K, 6000K
Lumen	704 at 3000K, 714 at 4000K, 724 at 5000K, 734 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	43.8x2.6cm
Weight	0.38kg
Dimmable	no
Certificates	CE, RoHS
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR



Diagram



Installation



LED Tube T8 60cm SMD 144LED 9W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T860-9W-01
Power	9W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.90
LED Quantity	144
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 5000K, 6000K
Lumen	906 at 3000K, 916 at 4000K, 926 at 5000K, 936 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	60.4x2.6cm
Weight	0.38kg
Dimmable	no
Certificates	CE, RoHS
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR



Diagram



Installation



LED Tube T8 90cm SMD 216LED 14W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T890-14W-01
Power	14W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.90
LED Quantity	216
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 5000K, 6000K
Lumen	1374 at 3000K, 1384 at 4000K, 1394 at 5000K, 1404 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	90.8x2.6cm
Weight	0.55kg
Dimmable	no
Certificates	CE, RoHS
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR



Diagram



Installation



LED Tube T8 120cm SMD 288LED 18W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T8120-18W-01
Power	18W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.9
LED Quantity	288
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 5000K, 6000K
Lumen	1849 at 3000K, 1859 at 4000K, 1869 at 5000K, 1879 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	121.4x2.6cm
Weight	0.65kg
Dimmable	no
Certificates	CE, RoHS
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR



Diagram



Installation



LED Tube T8 150cm SMD 360LED 22W




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	06-T8150-22W-01
Power	22W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.90
LED Quantity	360
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 5000K, 6000K
Lumen	2310 at 3000K, 2320 at 4000K, 2330 at 5000K, 2340 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G5
Dimension	151.4x2.6cm
Weight	0.80kg
Dimmable	no
Certificates	CE, RoHS
Norms, Test Standard	EN60825-1, EN60968, EN61347-1 + EN61347-2-13, EN55015 + EN61547, EN-62471
Energy Label	Class A
Radiations Protection	UV, IR


Diagram



Installation



LED Tube T8 120cm SMD 288LED 17W with Sensor




Certificat CE
IP20


Sun-Groupe tubes are agreed and authorized by the ESTI.

Reference	39-T8120SENSOR-01
Power	18W
Fixture Voltage	AC230V
Tube Voltage	DC12V
Power Factor	0.95
LED Quantity	288
Brand, Type	3528SMD
Color Rendering Index	70
Colors	3000K, 4000K, 6000K
Lumen	1450 at 3000K, 1635 at 4000K, 1870 at 6000K
Beam Angle	120D
Life Span	30'000h
Material	Aluminium
Protection	IP20
Base	G13
Dimension	121.4x2.6cm
Weight	0.65kg
Dimmable	no
Certificates	CE
Norms, Test Standard	EN
Energy Label	Class A
Radiations Protection	UV, IR

Diagram



Installation




LED TUBES SUPPORTS AND BRACKETS

Tube Support for T8 60cm



Sun-Groupe LED tubes are agreed and authorized by the ESTI.
This support is designed for LED tubes and ready for use.
Reference 06-SUPPORTT860-01
Size 60cm



Certificat CE

IP20

LED TUBES SUPPORTS AND BRACKETS

Tube Support for T8 120cm



Sun-Groupe LED tubes are agreed and authorized by the ESTI.
This support is designed for LED tubes and ready for use.

Reference

06-SUPPORTT8120-01

Size

120cm



Certificat CE

IP20

LED TUBES SUPPORTS AND BRACKETS

Tube Support for T8 150cm



Sun-Groupe LED tubes are agreed and authorized by the ESTI.
This support is designed for LED tubes and ready for use.

Reference

06-SUPPORTT8150-01

Size

150cm




Certificat CE

IP20

Sun-Groupe Co. Ltd (Chine)

Beijing's office
Head Quarter, Puyang (Henan)
Logistic Hong Kong




Sun-Groupe Sàrl (Suisse)

Cornaux

www.sun-groupe.com/catalog

Sun-Groupe Sàrl, 2087 Cornaux, Suisse



made for Switzerland