



DOWNLIGHTS

all-ways tiltable COB led downlight (NEW)

Product picture	Item no.	Power	LED Brand	RA	Color Kelvin (optional)	Lamp lumens	Voltage	Beam angle (optional)	Glass	Color of housing (optional)	Dimension (mm)	Qty & G.W. / Ctn	Carton size (V.W.)	Dim types (optional)	Driver brand	MOQ (PC)
																1 CTN
	A00431000	7W	SGLED CREE CITIZEN	90	3000K 4000K 6000K	600-800lm	AC200-240V	25° 38° 55° 110°	19	white black	∅ 96*H48	48pcs 19kg	45x45x38 15.5kg	Not-dim	Lifud	48
											∅ 83-90 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
														Dali	Easeic	

2-way tiltable COB led downlight (updated classical types)

Product picture	Item no.	Power	LED Brand	RA	Color Kelvin (optional)	Lamp lumens	Voltage	Beam angle (optional)	Glass	Color of housing (optional)	Dimension (mm)	Qty & G.W. / Ctn	Carton size (V.W.)	Dim types (optional)	Driver brand	MOQ (PC)
																1 CTN
	A00431001	7W	SGLED	90	2700K 3000K 4000K 6000K	600-950lm	AC200-240V	25° 38° 55° 110°	clear	white silver black	∅ 90*H48 ∅ 75(cutout)	36pcs 13.5kg	41x31x36cm (9.5kg)	Not-dim	Lifud	36
														Triac	Eaglerise	
														1-10V	Easeic	
														Dali	Easeic	
	A00431002	12W	SGLED	90	3000K 4000K 6000K	1100-1500lm	AC200-240V	25° 38° 60° 110°	clear	white silver black	∅ 110*H70 ∅ 95(cutout)	24pcs 13.5kg	48x37x29cm (10.5kg)	Not-dim	Lifud	24
														Triac	Eaglerise	
														1-10V	Easeic	
														Dali	Easeic	
	A00431003	20W	SGLED	90	3000K 4000K 6000K	1600-2500lm	AC200-240V	15° 38° 60° 110°	clear	white silver black	∅ 138*H85 ∅ 120(cutout)	18pcs 15kg	51x51x29cm (15.5kg)	Not-dim	Lifud	18
														Triac	Eaglerise	
														1-10V	Easeic	
														Dali	Easeic	
	A00431004	30W	SGLED	90	3000K 4000K 6000K	2900-3600lm	AC200-240V	20° 38° 60° 110°	clear	white silver black	∅ 160*H105 ∅ 145(cutout)	12pcs 18.5kg	58x39x37cm (17kg)	Not-dim	Lifud	12
														Triac	Eaglerise	
														1-10V	Easeic	
														Dali	Easeic	

Remarks: Standard version is white housing+black heatsink+clear glass, please indicate your special request when ordering.






DOWNLIGHTS


Series 2-way tilttable COB led downlight (NEW)

Product picture	Item no.	LED Brand	Power	CRI>	CCT	Lamp Lumen	Voltage (AC)	Beam angle	UGR	Color of Body	Dimension (mm)	Qty & G.W. / CTN	CTN size (CM) & V.W.	Dim Types	Driver (no flicker)	MOQ (PC)	
																1	CTN
	A00431005	SGLED CREE CITIZEN	7W	90	2700K 3000K 4000K 6000K	600-950lm	AC200-240V	25° 38° 55° 110°	19	white black	∅ 96*H63 ∅ 75-85 (cutout)	48pcs 18kg	45x45x38 15.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		48
	A00431006	SGLED CREE CITIZEN	7W	90	3000K 4000K 6000K	600-950lm	AC200-240V	25° 38° 55° 110°	19	white black	∅ 96*H48 ∅ 75-85 (cutout)	48pcs 19kg	45x45x38 15.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431007	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	1100-1500lm	AC200-240V	25° 38° 55° 110°	19	white black	∅ 96*H48 ∅ 75-85 (cutout)	48pcs 19kg	45x45x38 15.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431008	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	1100-1500lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 120*H75 ∅ 95-110 (cutout)	36pcs 19.5kg	53x41x41 18kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431009	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	1600-2500lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 120*H65 ∅ 95-110 (cutout)	40pcs 22kg	53x28x58 17.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431010	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	1600-2500lm	AC200-240V	15° 38° 60° 110°	19	white black	∅ 150*H90 ∅ 125-140 (cutout)	18pcs 18kg	52x52x36 19.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		18
	A00431011	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	2900-3600lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 150*H75 ∅ 125-140 (cutout)	18pcs 15.5kg	51x51x28 15kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431012	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	2900-3600lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 180*H105 ∅ 145-170 (cutout)	16pcs 20.5kg	78x41x34 22kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431013	SGLED COB	40W	90	3000K 4000K 6000K	3800-4500	AC200-240V	20° 38° 60° 110°	19	white black	∅ 180*H82 ∅ 145-170 (cutout)	16pcs 19kg	41x41x53 18kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		
	A00431014	SGLED	40W	90	3000K 4000K 6000K	3800-4500	AC200-240V	15° 38° 65° 110°	19	white black	∅ 200*H105 ∅ 165-185 (cutout)	8pcs 18.9kg	44x43x43 (16.5kg)	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		8
	A00431015	SGLED	50W	90	3000K 4000K 6000K	4800-5500	AC200-240V	15° 38° 65° 110°	19	white black	∅ 250*H115 ∅ 200-230 (cutout)	8pcs 20.5kg	52x52x37 (20.5kg)	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic		

Classic, cost-effective



Ultra-thin, double power, super low mounting space







DOWNLIGHTS

Series fixed COB led downlight (NEW)

Product picture	Item no.	LED Brand	Power	CRI>	CCT	Lamp Lumen	Voltage (AC)	Beam angle	UGR	Color of Body	Dimension (mm)	Qty & G.W. / CTN	CTN size (CM) & V.W.	Dim Types	Driver (no flicker)	MOQ (PC)
																1 CTN
	A00431016	SGLED CREE CITIZEN	7W	90	2700K 3000K 4000K 6000K	600-950lm	AC200-240V	20° 38° 55° 110°	19	white black	∅ 96*H73 ∅ 75-85 (cutout)	48pcs 18kg	45x45x38 15.5	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	48
	A00431017	SGLED CREE CITIZEN	7W	90	3000K 4000K 6000K	600-950lm	AC200-240V	20° 38° 55° 110°	19	white black	∅ 96*H63 ∅ 75-85 (cutout)	48pcs 19kg	45x45x38	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	48
	A00431018	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	1100-1500lm	AC200-240V	20° 38° 55° 110°	19	white black	∅ 96*H63 ∅ 75-85 (cutout)	48pcs 19kg	45x45x38	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	48
	A00431019	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	1100-1500lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 120*H85 ∅ 95-110 (cutout)	36pcs 19.5kg	53x41x41 18kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	36
	A00431020	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	1600-2500lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 120*H75 ∅ 95-110 (cutout)	36pcs 20.5kg	53x41x41	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	36
	A00431021	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	1600-2500lm	AC200-240V	15° 38° 60° 110°	19	white black	∅ 150*H97 ∅ 125-140 (cutout)	18pcs 16kg	51x51x35 18.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	18
	A00431022	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	2900-3600lm	AC200-240V	20° 38° 60° 110°	19	white black	∅ 150*H82 ∅ 125-140 (cutout)	18pcs 14.5kg	51x51x35 18.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	18
	A00431023	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	2900-3600lm	AC200-240V	15° 38° 60° 110°	19	white black	∅ 180*H116 ∅ 145-170 (cutout)	16pcs 18.6kg	78x41x34 22kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	16
	A00431024	SGLED COB	40W	90	3000K 4000K 6000K	3800-4500	AC200-240V	15° 38° 60° 110°	19	white black	∅ 180*H93 ∅ 145-170 (cutout)	16pcs 17.5kg	41x41x53 18kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	16





DOWNLIGHTS

Series fixed anti-glare COB led downlight (NEW)

Product picture	Item no.	LED Brand	Power	CRI>	CCT	Lamp Lumen	Voltage (AC)	Beam angle	UGR	Color of Body	Dimension (mm)	Qty & G.W. / CTN	CTN size (CM)	Dim Types	Driver (no flicker)	MOQ (PC)
																1 CTN
	A00431025	SGLED CREE CITIZEN	7W	90	2700K 3000K 4000K 6000K	500-800lm	AC200-240V	25° 38° 50° 90°	17	white black	∅ 96*H85 ∅ 75-85 (cutout)	36pcs 15kg	45x35x41	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	36
	A00431026	SGLED CREE CITIZEN	7W	90	2700K 3000K 4000K 6000K	500-800lm	AC200-240V	25° 38° 50° 90°	17	white black	∅ 96*H68 ∅ 75-85 (cutout)	48pcs 20kg	45x45x38	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	48
	A00431027	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	1000-1400lm	AC200-240V	25° 38° 50° 90°	17	white black	∅ 96*H68 ∅ 75-85 (cutout)	48pcs 20kg	45x45x38	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	48
	A00431028	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	1000-1400lm	AC200-240V	20° 38° 50° 90°	17	white black	∅ 120*H95 ∅ 95-110 (cutout)	32pcs 19kg	53x28x58	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	32
	A00431029	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	1500-2300lm	AC200-240V	20° 38° 50° 90°	17	white black	∅ 120*H85 ∅ 95-110 (cutout)	36pcs 20.5kg	53x41x41	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	36
	A00431030	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	1500-2300lm	AC200-240V	15° 38° 55° 90°	17	white black	∅ 150*114 ∅ 125-140 (cutout)	18pcs 15.5kg	51x51x37 19.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	18
	A00431031	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	2700-3500lm	AC200-240V	20° 38° 55° 95°	17	white black	∅ 150*H99 ∅ 125-140 (cutout)	18pcs 15.5kg	51x51x35 18.5kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	18
	A00431032	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	2700-3500lm	AC200-240V	20° 38° 55° 95°	17	white black	∅ 180*129 ∅ 145-170 (cutout)	12pcs 15.5kg	41x41x53 18kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	12
	A00431033	SGLED COB	40W	90	3000K 4000K 6000K	3600-4300lm	AC200-240V	20° 38° 55° 95°	17	white black	∅ 180*H106 ∅ 145-170 (cutout)	16pcs 18kg	78x41x34 22kg	Not-dim Triac 1-10V Dali	Lifud Eaglerise Easeic Easeic	16

Remarks: 1. Standard optical anti-glare shield is shiny silver & white; Optional color: Champagne, gold, matt silver, black ( shiny / matt ), MOQ 200pcs.





DOWNLIGHTS

Series 2-way tiltable anti-glare COB led downlight

Product picture	Item no.	LED Brand	Power	CRI>	CCT	Lamp Lumen	Voltage (AC)	Beam angle	UGR	Color of Body	Dimension (mm)	Qty & G.W. / CTN	CTN size (CM)	Dim Types	Driver (no flicker)	MOQ (PC)
																1 CTN
	A00431034	SGLED CREE CITIZEN	7W	90	2700K 3000K 4000K 6000K	300-400lm	AC200-240V	20°	12	white black	∅ 96*H73	48pcs 18.5kg	45x45x38	Not-dim	Lifud	48
											∅ 75-85 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431035	SGLED CREE CITIZEN	7W	90	2700K 3000K 4000K 6000K	300-400lm	AC200-240V	20°	12	white black	∅ 96*H63	48pcs 20kg	45x45x38	Not-dim	Lifud	48
											∅ 75-85 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431036	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	600-800lm	AC200-240V	15°	12	white black	∅ 96*H63	48pcs 20kg	45x45x38	Not-dim	Lifud	48
											∅ 75-85 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431037	SGLED CREE CITIZEN	12W	90	3000K 4000K 6000K	600-800lm	AC200-240V	15°	12	white black	∅ 120*H85	36pcs 20kg	53x41x41	Not-dim	Lifud	36
											∅ 95-110 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431038	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	900-1400lm	AC200-240V	15°	12	white black	∅ 120*H75	36pcs 20.5kg	53x41x41	Not-dim	Lifud	36
											∅ 95-110 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431039	SGLED CREE CITIZEN	20W	90	3000K 4000K 6000K	900-1400lm	AC200-240V	20°	12	white black	∅ 150*H101	18pcs 15.5kg	51x51x35 18.5kg	Not-dim	Lifud	18
											∅ 125-140 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431040	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	1600-2000lm	AC200-240V	15°	12	white black	∅ 150*H86	18pcs 15.5kg	51x51x35 18.5kg	Not-dim	Lifud	18
											∅ 125-140 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431041	SGLED CREE CITIZEN	30W	90	3000K 4000K 6000K	1600-2000lm	AC200-240V	15°	12	white black	∅ 180*H116	16pcs 20.5kg	78x41x34 22kg	Not-dim	Lifud	16
											∅ 145-170 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	
	A00431042	SGLED COB	40W	90	3000K 4000K 6000K	2000-2400lm	AC200-240V	15°	12	white black	∅ 180*H93	16pcs 19kg	41x41x53 18kg	Not-dim	Lifud	16
											∅ 145-170 (cutout)			Triac	Eaglerise	
														1-10V	Easeic	




Easy wire connection box

Picture	Model No.	Description	Package	MOQ (PC)
	A00431043	Junction box 2-way Housing: 94V-2 grade Solid: 0.5-2.5mm2 Ampere/Voltage: 16A 450VAC IP Code: IP20 Working: T100 Accessories: 863*2P Dimension: L72xW27xH30	640pcs/Ctn, Ctn Size: 52x52x36cm, G.W.:14.5 KG	200



DOWNLIGHTS

	A00431044	Junction box 3-way Housing: 94V-2 grade Solid: 0.5-2.5mm2 Ampere/Voltage: 16A 450VAC IP Code: IP20 Working: T100 Accessories: 863*3P Dimension: L72xW37xH30	640pcs/Ctn n, Ctn Size: 52x52x36c m, G.W.:14.5 KG	200
---	-----------	--	---	-----

More pictures

