









NEW TRACK LIGHT

NEW COB LED Track Light (2/3/4 wires)


Product picture	Item no.	LED Brand (optional)	CRI	Power	Color Kelvin (optional)	Lamp lumens	Voltage	Beam angle (optional)	Glasses (optional)	Color of housing (optional)	Dimension (mm)	Qty & G.W. / Ctn	Carton size (V.W.)	Dim types	Driver (no flicker)	MOQ (PC)	
																	1 CTN
	A00435000 A00435001	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	1600- 2500lm	AC220-240V AC100-277V	20° 38° 50°	clear center- frosted	white black	∅ 73xH124 (lamp) 130x71x42 (power box)	6pcs 6kgs	48*32*34CM 10.5KG	No-dim	Lifud		6
	A00435002																
	A00435003 A00435004	SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	2900- 3600lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94xH148 (lamp) 150x95x50 (driver box)	6pcs 10kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435005																
	A00435006 A00435007	SGLED CREE CITIZEN	90	40W	3000K 4000K 6000K	3800- 4500lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94xH148 (lamp) 150x95x50 (driver box)	6pcs 10kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435008																
	A00435009 A00435010	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	3200- 5000lm	AC220-240V AC100-277V	20° 38° 50°	clear center- frosted	white black	∅ 73x124 (lamp) 160x71x42 (power box)	6pcs 9kgs	48*32*34CM 10.5KG	No-dim	Lifud		6
	A00435011																
	A00435011 A00435012	SGLED CREE CITIZEN	90	2x30W	3000K 4000K 6000K	5800- 7200lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94xH148 (lamp) 150x95x50 (driver box)	6pcs 16kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435013																
	A00435014 A00435015	SGLED CREE CITIZEN	90	2x40W	3000K 4000K 6000K	7600- 9000lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94xH148 (lamp) 150x95x50 (driver box)	6pcs 16kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435016																
	A00435017 A00435018	SGLED CREE CITIZEN	90	12W	3000K 4000K 6000K	1100- 1500lm	AC220-240V AC100-277V	20° 38° 50°	clear center- frosted	white black	∅ 73x124 (lamp)	6pcs 5kgs	48*32*34CM 10.5KG	No-dim	Integrated track adapter		6
	A00435019 A00435020																
	A00435021 A00435022	SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	2900- 3600lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94x148 (lamp)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Integrated track adapter		6
	A00435023	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	3200- 5000lm	AC220-240V AC100-277V	20° 38° 50°	clear center- frosted	white black	∅ 73x124 (lamp) 145x71x42 (power box)	6pcs 9kgs	56*28*28CM 9KG	No-dim	Lifud		6
	A00435024																
	A00435025 A00435026	SGLED CREE CITIZEN	90	2*30W	3000K 4000K 6000K	5800- 7200lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94xH148 (lamp) 150x95x50 (driver box)	6pcs 16kgs	49*41*63CM 25KG	No-dim	Lifud		6
	A00435027																
	A00435028 A00435029	SGLED CREE CITIZEN	90	2*40W	3000K 4000K 6000K	7600- 9000lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94xH148 (lamp) 150x95x50 (driver box)	6pcs 16kgs	49*41*63CM 25KG	No-dim	Lifud		6
A00435030																	
	A00435031 A00435032	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	1600- 2500lm	AC220-240V AC100-277V	20° 38° 50°	clear center- frosted	white black	∅ 73x124 (lamp) 150x62x40 (power box)	6pcs 5.5kgs	48*32*34CM 10.5KG	No-dim	Lifud		6
	A00435033																
	A00435034 A00435035	SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	2900- 3600lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94x148 (lamp) 150x62x40 (driver box)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435036																
	A00435037 A00435038	SGLED CREE CITIZEN	90	40W	3000K 4000K 6000K	3800- 4500lm	AC220-240V AC100-277V	20° 38° 60°	clear center- frosted	white black	∅ 94x148 (lamp) 150x62x40 (driver box)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435039																



NEW TRACK LIGHT

Remarks: 1. available in triac dimmable version of 20W and 30W
2. Usually, 2-wires Asia standard, 3-wires US Standard, 4-wires(3phase) EU standard. Please choose the correct type.
3. Surface (ceiling) mounted track light is available

More pictures





NEW TRACK LIGHT

Updated Classical COB LED Track Light (2 / 3 / 4 wires)

Product picture	Item no.	LED Brand (optional)	CRI	Power	Color Kelvin (optional)	Lamp lumens	Voltage	Beam angle (optional)	Glasses (optional)	Color of housing (optional)	Dimension (mm)	Qty & G.W. / Ctn	Carton size (V.W.)	Dim types	Driver	MOQ (PC)
																1 CTN
	A00435040	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	1600-2500lm	AC220-240V AC100-277V	20° 38° 60°	clear center-frosted	white black	∅75xH108 (lamp) 130x71x42 (driver box)	9pcs 7.9kg	53x26x36cm 10kg	No-dim	Lifud	9
	A00435042															9
	A00435043	SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	2900-3600lm	AC220-240V AC100-277V	20° 38° 60°	clear center-frosted	white black	∅100xH112 (lamp) 150x95x50 (driver box)	9pcs 13KG	62x28x42cm 15kg	No-dim	Lifud	9
	A00435045															9
	A00435046	SGLED	90	40W	3000K 4000K 6000K	3800-4500lm	AC220-240V AC100-277V	20° 38° 60°	clear center-frosted	white black	∅100xH134 (lamp) 150x95x50 (driver box)	9pcs 13KG	62x28x42cm 15kg	No-dim	Lifud	9
	A00435047															9
	A00435049	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	3200-5000lm	AC220-240V AC100-277V	20° 38° 60°	clear center-frosted	white black	∅75xH108 (lamp) 130x71x42 (driver box)	6pcs 11kgs	48*32*34CM 10.5KG	No-dim	Lifud	6
	A00435051															6
	A00435052	SGLED CREE CITIZEN	90	2x30W	3000K 4000K 6000K	5400-7200lm	AC220-240V AC100-277V	20° 38° 60°	clear center-frosted	white black	∅100xH112 (lamp) 150x95x50 (driver box)	6pcs 17kgs	60*32*43CM 17KG	No-dim	Lifud	6
	A00435053															6
	A00435055	SGLED	90	2x40W	3000K 4000K 6000K	7600-9000lm	AC220-240V AC100-277V	20° 38° 60°	clear center-frosted	white black	∅100xH134 (lamp) 150x95x50 (driver box)	6pcs 17kgs	60*32*43CM 17KG	No-dim	Lifud	6
	A00435056															6
A00435057																6

Remarks: 1. Available in triac dimmable version of 12W, 20W and 30W.
 2. Usually, 2-wires is Asia standard, 3-wires is US Standard, 4-wires(3-phase) is EU standard. Please choose the correct type.
 3. Surface (ceiling) mounted track light is available, price is the same as 4-wires track light.







More pictures





NEW TRACK LIGHT

NEW COB LED Track Light (2/3/4 wires)


Product picture	Item no.	LED Brand (optional)	CRI	Power	Color Kelvin (optional)	Lamp lumens	Voltage	Beam angle (optional)	UGR	Color of housing (optional)	Dimension (mm)	Qty & G.W. / Ctn	Carton size (V.W.)	Dim types	Driver (no flicker)	MOQ (PC)	
																	1 CTN
	A00435058 A00435059	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	1500- 2400lm	AC220-240V AC100-277V	25° 35° 45°	TH<17 TS/TX<12	white black	∅ 73xH124 (lamp) 130x71x42 (power box)	6pcs 6kgs	48*32*34CM 10.5KG	No-dim	Lifud		6
	A00435060																
	A00435061 A00435062	SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	2700- 3500lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 10kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435063																
	A00435064 A00435065	SGLED CREE CITIZEN	90	40W	3000K 4000K 6000K	3600- 4300lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 10kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435066																
	A00435067 A00435068	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	3000- 4800lm	AC220-240V AC100-277V	25° 35° 45°	TH<17 TS/TX<12	white black	∅ 73x124 (lamp) 160x71x42 (power box)	6pcs 9kgs	48*32*34CM 10.5KG	No-dim	Lifud		6
	A00435069																
	A00435070 A00435071	SGLED CREE CITIZEN	90	2x30W	3000K 4000K 6000K	5400- 7000lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 16kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435072																
	A00435073 A00435074	SGLED CREE CITIZEN	90	2x40W	3000K 4000K 6000K	7200- 8600lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 16kgs	60*32*43CM 17KG	No-dim	Lifud		6
A00435075																	
	A00435076 A00435077	SGLED CREE CITIZEN	90	12W	3000K 4000K 6000K	1000- 1400lm	AC220-240V AC100-277V	25° 35° 45°	TH<17 TS/TX<12	white black	∅ 73x124 (lamp)	6pcs 5kgs	48*32*34CM 10.5KG	No-dim	Integrated track adapter		6
	A00435078 A00435079																
	A00435080 A00435081																
	A00435082 A00435083	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	3000- 4800lm	AC220-240V AC100-277V	25° 35° 45°	TH<17 TS/TX<12	white black	∅ 73x124 (lamp) 145x71x42 (power box)	6pcs 9kgs	56*28*28CM 9KG	No-dim	Lifud		6
	A00435084																
	A00435085 A00435086	SGLED CREE CITIZEN	90	2*30W	3000K 4000K 6000K	5400- 7000lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 16kgs	49*41*63CM 25KG	No-dim	Lifud		6
	A00435087																
	A00435088 A00435089	SGLED CREE CITIZEN	90	2*40W	3000K 4000K 6000K	7200- 8600lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 16kgs	49*41*63CM 25KG	No-dim	Lifud		6
A00435090																	
	A00435091 A00435092	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	1500- 2400lm	AC220-240V AC100-277V	25° 35° 45°	TH<17 TS/TX<12	white black	∅ 73x124 (lamp) 150x62x40 (power box)	6pcs 5.5kgs	48*32*34CM 10.5KG	No-dim	Lifud		6
	A00435093																
	A00435094 A00435095	SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	2700- 3500lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Lifud		6
	A00435096																
	A00435097 A00435098	SGLED CREE CITIZEN	90	40W	3000K 4000K 6000K	3600- 4300lm	AC220-240V AC100-277V	25° 35° 50°	TH<17 TS/TX<12	white black	∅ 94xH158 (lamp) 150x95x50 (driver box)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Lifud		6
A00435099																	



NEW TRACK LIGHT

- Remarks: 1. available in triac dimmable version (Eaglerise no flicker driver with 2 years warranty)
2. Usually, 2-wires Asia standard, 3-wires US Standard, 4-wires(3phase) EU standard. Please choose the correct type.
3. Surface (ceiling) mounted track light is available, price is the same as 4-wires (3-phase) track light.






More pictures





NEW TRACK LIGHT

NEW COB LED Track Light (2/3/4 wires)


Product picture	Item no.	LED Brand (optional)	CRI	Power	Color Kelvin (optional)	Lamp lumens	Voltage	Beam angle	UGR	Color of housing (optional)	Dimension (mm)	Qty & G.W. / Ctn	Carton size (V.W.)	Dim types	Driver (no flicker)	MOQ (PC)													
																1 CTN													
	A00435100 A00435101	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	900-1400lm	AC220-240V AC100-277V	15°	<10	white black	∅ 73xH124 (lamp) 130x71x42 (power box)	6pcs 6kgs	48*32*34CM 10.5KG	No-dim	Lifud	6													
	A00435102															6													
	A00435103 A00435104															6													
	A00435105	90	30W	3000K 4000K 6000K	1600-2000lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 10kgs	60*32*43CM 17KG	No-dim	Lifud	6														
	A00435106 A00435107	SGLED CREE CITIZEN	90	40W	3000K 4000K 6000K	2000-2400lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 10kgs	60*32*43CM 17KG	No-dim	Lifud	6													
	A00435108															6													
	A00435109 A00435110	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	1800-2800lm	AC220-240V AC100-277V	15°	<10	white black	∅ 73x124 (lamp) 160x71x42 (power box)	6pcs 9kgs	48*32*34CM 10.5KG	No-dim	Lifud	6													
	A00435111															6													
	A00435112 A00435113															SGLED CREE CITIZEN	90	2x30W	3000K 4000K 6000K	3200-4000lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 16kgs	60*32*43CM 17KG	No-dim	Lifud
	A00435114	6																											
	A00435115 A00435116	SGLED CREE CITIZEN	90	2x40W	3000K 4000K 6000K	4000-4800lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 16kgs	60*32*43CM 17KG	No-dim	Lifud	6													
	A00435117															6													
	A00435118 A00435119	SGLED CREE CITIZEN	90	12W	3000K 4000K 6000K	600-800lm	AC220-240V AC100-277V	15°	<10	white black	∅ 73x124 (lamp)	6pcs 5kgs	48*32*34CM 10.5KG	No-dim	Integrated track adapter	6													
	A00435120 A00435121															90	20W	3000K 4000K 6000K	900-1400lm	AC220-240V AC100-277V	15°	<10	white black	∅ 73x124 (lamp)	6pcs 5kgs	48*32*34CM 10.5KG	No-dim	Integrated track adapter	6
	A00435122 A00435123															90	30W	3000K 4000K 6000K	1600-2000lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94x153 (lamp)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Integrated track adapter	6
	A00435124 A00435125	SGLED CREE CITIZEN	90	2x20W	3000K 4000K 6000K	1800-2800lm	AC220-240V AC100-277V	15°	<10	white black	∅ 73x124 (lamp) 145x71x42 (power box)	6pcs 9kgs	56*28*28CM 9KG	No-dim	Lifud	6													
	A00435126															6													
	A00435127 A00435128															SGLED CREE CITIZEN	90	2x30W	3000K 4000K 6000K	3200-4000lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 16kgs	49*41*63CM 25KG	No-dim	Lifud
	A00435129	6																											
	A00435130 A00435131	SGLED CREE CITIZEN	90	2x40W	3000K 4000K 6000K	4000-4800lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 16kgs	49*41*63CM 25KG	No-dim	Lifud	6													
	A00435132															6													
	A00435133 A00435134	SGLED CREE CITIZEN	90	20W	3000K 4000K 6000K	900-1400lm	AC220-240V AC100-277V	15°	<10	white black	∅ 73x124 (lamp) 150x62x40 (power box)	6pcs 5.5kgs	48*32*34CM 10.5KG	No-dim	Lifud	6													
	A00435135															6													
	A00435136 A00435137															SGLED CREE CITIZEN	90	30W	3000K 4000K 6000K	1600-2000lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Lifud
	A00435138	6																											
	A00435139 A00435140	SGLED CREE CITIZEN	90	40W	3000K 4000K 6000K	2000-2400lm	AC220-240V AC100-277V	15°	<10	white black	∅ 94xH153 (lamp) 150x95x50 (driver box)	6pcs 8kgs	60*32*43CM 17KG	No-dim	Lifud	6													
	A00435141															6													



NEW TRACK LIGHT

Remarks: 1. available in triac dimmable version (Eaglerise no flicker driver with 2 years warranty)
2. Usually, 2-wires Asia standard, 3-wires US Standard, 4-wires(3phase) EU standard. Please choose the correct type.
3. Surface (ceiling) mounted track light is available, price is the same as 4-wires (3-phase) track light.

More pictures



Attention :

1. Standard color temperature: 3000K/4000K/6000K; Standard CRI>90;
Other special CCT or CRI must meet our MOQ 200pcs, or there will be extra sample fee.
2. EXW price (FOB SZ)
3. Warranty: 2 years for whole lamp
4. Lead time: 7-10 working days
5. Payment term: TT in advance